
LBKW



The LBKW family of wall sconces combines versatility with artistic freedom. This ADA-compliant, damp location-rated fixture comes standard with nine distinctive designs and offers nearly limitless customization potential—from company logos to imaginative motifs like lions, tigers, or bears. Choose from 24 unique metal finishes and a wide range of lens options, including faux wood, laminated linen, and a spectrum of color choices to suit any aesthetic.

Optional features include integral battery backup and occupancy sensor for enhanced functionality..

Proudly handcrafted in the United States, this fixture complies with Buy American, Build America (BABA) standards, ensuring quality and accountability.





LBKW-LINEN

Construction:

- Welded steel housing and chassis
- Front diffuser Translucent bonded linen, offered in a variety of color options. Designed for both aesthetics and durability; surface is easily cleanable with a damp cloth.
- Side diffuser White acrylic lens fully encases all four vertical sides of the fixture, delivering uniform ambient illumination and soft perimeter glow.

Light Source:

- LED
- Dimming to 10% Included

Notes:

- Mounts to standard J-box
- · Custom design styles available
- ADA compliant
- Optional Battery Backup
- Build America, Buy America Act Compliant
- UL and CUL listed **DAMP** location
 - Replaceable LED Module
 - CRI > 90
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components

LBKW-15	LBKW-27			
Height - 15 "	Height - 27 "			
Width - 6.5"	Width - 6.5"			
Depth - 3.5"	Depth - 3.5"			

















ORDERING INFORMATION

Example: LBKW-27-LED-O2C-3-A-B1-WLA


LBKW

Size	LED					Kelvin	Designs	Finish	Diffuser	Options
		Watts	Source Lumens	Dimming	Energy Star	1 2700K 2 3000K	Design options See page 4	See Finish Options Page 4	Diffuser options See page 5	DIM LED dimming driver (0 - 10v)
15-LED	O1C13	9	1400	0-10v	NO	3 3500K				
27-LED	O2C	18	2420	0-10v	NO	4 4000K				
	O2C32	32	3654	0-10v	NO	5 5000K				
										OCCHFA Concealed Occupancy Sensor See Sensor Resource Sheet
										Battery Backup Options (Available with 0-10v only) BB10 10 Watts (1170lm) for 90-Minute





LBKW-DESIGNS







FINISHES

Standard Finishes



Premium Finishes - Contact Factory For Pricing



DISCLAIMER:

P9 Brushed Nickel

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



P2 Brushed Aluminum




DIFFUSER COLORS

Linen Diffuser







Black Linen (BLA)

White Linen (WLA)









Black Linen (BLA)

Chocolate Textured Linen (CTA)

Sable Linen (SLA)

Rapid Textured Linen (RTA)

White Linen (WLA)

DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. Not all finishes are available with all fixtures. Please consult factory for premium finishes.



