



Color plays a vital role in shaping any space, whether fostering a festive atmosphere or establishing a professional workspace. When integrated into lighting, it adds warmth and character, enhancing the overall décor.

Lightway offers a range of pendant and flush-mounted ceiling fixtures, thoughtfully designed to embody this concept. With semi-translucent or non-translucent side diffuser options, these fixtures cater to a variety of aesthetic and functional preferences, ensuring versatility in any setting.



Construction:

- Choose a UV-stabilized, color-laminated side diffuser in a wide array of shades—from standard selections to any Pantone color of your choice. Available with non-translucent or semi-translucent lens options, this diffuser is expertly crafted to complement a range of aesthetic and functional design goals.
- The fixture delivers a balanced light distribution, with 60% directed upward and 40% downward, ensuring controlled illumination. Side light transmission is minimal to none, based on the chosen diffuser. For tailored distribution options, please contact the factory.
- The bottom diffuser features a white textured acrylic, providing a refined balance of soft diffusion and visual depth while maintaining an elegant, functional aesthetic. Let me know if you'd like alternative material options or adjustments to the description.
- The canopy and housing are expertly crafted from durable steel, enhanced with a sleek powder-coated finish for superior protection and modern appeal. The design is complemented by a high-quality acrylic lens, ensuring both functionality and refined aesthetics.

Light Source:

- LED
- Incandescent socket base

Notes:


- Mounting Kit Included for standard J-box
- Multiple canopy and stem options available.
- Custom overall heights available
- **Build America, Buy America Act Compliant**
- UL and CUL listed **DAMP** location
- LED Array
 - Replaceable Module
 - CRI > 90
 - Dimming (10% or 1%)
 - Universal 120/277 volt standard
 - 5-Year Warranty on LED Components

Type:	
Job Name:	




SHOWN WITH BLACK SIDE DIFFUSER (DV-01)






LCLH-12
LCLH-15
LCLH-19
LCLH-24
LCLH-30
LCLH-36


	DIM 'A'	DIM 'B'	OAH
LCLH-12	12.25"	4.5"	12"
LCLH-15	15"	4.5"	12"
LCLH-19	19"	5.25"	12"
LCLH-24	24"	8"	15"
LCLH-30	30"	8"	24"
LCLH-36	36"	8"	24"




STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(4AC-xSJ)



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(3AC-xSJ)

LED BASED ORDERING INFORMATION

Example: LCLH-15-LED-F1K-4-W2-CV31-1SLM45-12"OAH-DIM



LCLH

Size	LED					Kelvin	Finish	Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star				
12-LED	F1H	9	1400	0-10v	YES	1 2700K 2 3000K 3 3500K 4 4000K 5 5000K	See Finish Options Page 5	Color Options on Page 6 (CV##) Opaque/Solid (Part number example: DV-31) CV = Opaque/Solid side diffuser 31 = Burnt Orange color from page 6	(Suspension Systems) Please list Over All Height 1S15 -Single Stem 15 degree swivel 1SLM45 -Single Stem 45 degree swivel 4AC-(4) Aircraft Cable 3AC -(3) Aircraft Cable DIM LED dimming driver (0 - 10v) DIMLD Line Voltage /TRIAC/ELV/120v ES Energy Star listed components T24 Title 24/JA8 Compliant (F10, F1P & F1Q configuration only) OCCHFA Concealed Occupancy Sensor See Sensor Resource Sheet Battery Backup Options (Available with 0-10v only) BB10 10 Watts (1170lm) for 90-Minutes
	F1O	10	863	TRIAC/ELV	YES				
	F1P	15	1361	TRIAC/ELV	YES				
15-LED	F1K	13	2115	0-10v	YES				
	F1P	15	1361	TRIAC/ELV	YES				
	F1Q	23	2057	TRIAC/ELV	YES				
19-LED	L1A	36	4000	0-10v	NO				
	F1Q	23	2057	TRIAC/ELV	YES				
24-LED	L1A	36	4000	0-10v	NO				
30-LED	O4C	36	4840	0-10v	NO				
36-LED	O8C	72	9680	0-10v	NO				
	O12C	107	14520	0-10v	NO				
	O12C	107	14520	0-10v	NO				




28435 Industry Drive., Valencia, California 91355
800-325-4448 /661-257-0286 • fax 800-323-2346 /661-257-0201
www.lightwayind.com • sales@lightwayind.com







STEM OPTION -1S15



STEM OPTION -1SLM45



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(4AC-xSJ)



STEM OPTION -AIRCRAFT
CABLE WITH CORD-(3AC-xSJ)

LCLH-12
LCLH-15
LCLH-19
LCLH-24
LCLH-30
LCLH-36

	DIM 'A'	DIM 'B'	OAH
LCLH-12	12.25"	4.5"	12"
LCLH-15	15"	4.5"	12"
LCLH-19	19"	5.25"	12"
LCLH-24	24"	8"	15"
LCLH-30	30"	8"	24"
LCLH-36	36"	8"	24"

INCANDESCENT BASED ORDERING INFORMATION

Example: LCLH-36-8E26-NL-W2-CV31-1SLM45-24"OAH

LCLH


NL

Size	Socket					Kelvin	Finish	Side Diffusers	Options
		Watts	Source Lumens	Dimming	Energy Star	NL Lamps provided by others	See Finish Options Page 5	Color Options on Page 6 (CV##) Opaque/Solid <i>(Part number example: DV-31)</i> <i>CV = Opaque/Solid side diffuser</i> <i>31 = Burnt Orange color from page 6</i> (CT)## Semi-Translucent <i>(Part number example: DT-40)</i> <i>CT = Semi-Translucent side diffuser</i> <i>40 = Harvest Gold color from page 6</i>	(Suspension Systems) Please list Over All Height 1S15 -Single Stem 15 degree swivel 1SLM45 -Single Stem 45 degree swivel 4AC -(4) Aircraft Cable 3AC -(3) Aircraft Cable CF - Center Finial
12	2E26			TRIAC/ELV					
15	2E26			TRIAC/ELV					
19	3E26			TRIAC/ELV					
24	4E26			TRIAC/ELV					
30	8E26			TRIAC/ELV					
36									




FINISHES


Standard Finishes



W1 Yolk



W2 Gloss White



W3 Textured White



W13 Pearl Beige



B1 Satin Black



B2 Textured Black



Z3 Textured Bronze




Z1 Satin Bronze



M13 Anodized Silver



T4 Shimmer Gray




T6 Pewter



T1 Silver Gray



T5 Textured Silver



M17 Brass Powder

Premium Finishes - Contact Factory For Pricing



U12 Parkers Blue



U13 Cornflower Blue



A15 Medium Gray



G13 Sage Green



W18 Sand Fossil



R4 Deep Red



M20 Tuscan Sun



D12 Butterscotch

DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
www.lightwayind.com • sales@lightwayind.com



DIFFUSER COLORS

Primary Colors



Black (01)



Blue (02)



Green (03)



Red (04)



Yellow (05)

Earthtone Colors



Mint (27)



Sand (30)



Nutmeg (28)




Slate (29)



Azure (20)



Dusty Rose (25)




Taupe (23)



Cape Cod (31)



Peach (32)



Olive (22)

Retro Colors



Harvest Gold (40)



Pumpkin (44)



Avocado (41)



Tobacco (42)



Parchment (43)

Custom lens colors available, contact factory with Pantone or HEX code

DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201
www.lightwayind.com • sales@lightwayind.com

