

## **Versatile ADA-Compliant Wall Sconce**

Featuring a **double solid accent bar**, available in **24 optional finishes**, this elegant wall sconce lets you customize with **bonded linen**, **faux wood**, or a **limitless array of colored lenses**. Designed for **damp-listed** environments, it offers versatility for a range of applications. Optional features include **integral battery backup** and o**ccupancy sensor** for enhanced functionality.

Proudly handcrafted in the United States, this fixture complies with Buy American, Build America (BABA) standards, ensuring quality and accountability.





## **LCBW-LED**

#### **Construction:**

- Steel housing and chassis
- Acrylic diffuser.

#### **Light Source:**

- LED
- Dimming to 10% Included

#### Notes

- Keyhole slots or center lockup for standard J-box
- Custom cage styles available
- Open top and bottom
- Optional Battery Backup
- ADA compliant
- Build America, Buy America Act Compliant
- UL and CUL listed **DAMP** location
  - CRI > 90
  - Universal 120/277 volt standard
  - 5-Year Warranty on LED Components

 LCBW-11
 LCBW-16

 Height - 11 "
 Height - 15 ½ "

 Width - 10"
 Width - 13 ⅓"

 Depth - 4"
 Depth - 4"

















### **ORDERING INFORMATION**

W 1 · C

Example: LCBW-16-LED-1FH-4-B1-WLA

#### **LCBW**

Size	LED					Kelvin	Cage	Finish	Diffuser	Options
		Watts	Source Lumens	Dimming	Energy Star	<b>2</b> 3000K <b>3</b> 3500K		See Finish Options Page 2	Diffuser options See page 3 - 4	<b>DIM</b> LED dimming driver (0 - 10v) <b>DIMLD</b> Line Voltage /TRIAC/ELV/120v
11-LED	F1H	9	1400	0-10v	YES	<b>4</b> 4000K			. 5	See Resource Page
	F10	10	863	TRIAC/ELV	YES					<b>ES</b> Energy Star listed components
	F1P	15	1361	TRIAC/ELV	YES					<b>T24</b> Title 24/JA8 Compliant
	O2A	12	1600	0-10v	NO					(F10 & F1Pconfiguration only)
	F1J	20	2820	0-10v	YES					
16-LED	F1H	9	1400	0-10v	YES					OCCHFB Concealed Occupancy Sensor
	F1P	15	1361	TRIAC/ELV	YES					( <b>02A</b> Configuration Only) See Sensor Resource Sheet
	O2A	12	1600	0-10v	NO					See Senson resource sheet
	O2C	18	2420	0-10v	NO					Pattony Padrum Ontions
										Battery Backup Options (Available with 0-10v only) BB10 10 Watts (1170lm) for 90-Minutes





# **FINISHES**

#### **Standard Finishes**



### **Premium Finishes - Contact Factory For Pricing**



#### DISCLAIMER:

**P9 Brushed Nickel** 

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.** 



**P2 Brushed Aluminum** 



# **DIFFUSER COLORS**

## **Linen Diffuser**



White Linen (WLA)



**Chocolate Textured (CTA)** 



Rapid Textured (RTA)



**Black Linen (BLA)** 



Sable Linen (SLA)

## **Wood Diffuser**



Walnut (DT4)



Teak (DT3)



Bamboo (DT2)



Maple (DT1)

Custom lens colors available, contact factory with Pantone or HEX code
DISCLAIMER:


Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.** 





# **DIFFUSER COLORS**

### **Primary Colors**



#### **Earthtone Colors**



#### **Retro Colors**



## Custom lens colors available, contact factory with Pantone or HEX code

#### DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.** 



