

## Construction:

- Choose a UV-stabilized, color-laminated side diffuser in a wide array of shades—from standard selections to any Pantone color of your choice. Available with non-translucent or semi-translucent lens options, this diffuser is expertly crafted to complement a range of aesthetic and functional design goals.
- The fixture delivers a balanced light distribution, with 10% directed upward and 90% downward, ensuring controlled illumination. Side light transmission is minimal to none, based on the chosen diffuser. For tailored distribution options, please contact the factory.
- The bottom diffuser features a white textured acrylic, providing a refined balance of soft diffusion and visual depth while maintaining an elegant, functional aesthetic. Let me know if you'd like alternative material options or adjustments to the description.
- The housing are expertly crafted from durable steel, enhanced with a sleek powder-coated finish for superior protection and modern appeal. The design is complemented by a high-quality acrylic lens, ensuring both functionality and refined aesthetics.

|           |  |
|-----------|--|
| Type:     |  |
| Job Name: |  |



## Light Source:

- LED
- Incandescent socket base




## Notes:

- Mounting Kit Included for standard J-box
- Finish only applies with Battery Backup option
- **Build America, Buy America Act Compliant**
- UL and CUL listed **DAMP** location
- LED Array
  - Replaceable Module
  - CRI > 90
  - Dimming (10% or 1%)
  - Universal 120/277 volt standard
  - 5-Year Warranty on LED Components



- For a pendant mounted version see the **LCLH**





|         | DIM 'A' | DIM 'B' |
|---------|---------|---------|
| LCLC-12 | 12.25"  | 4.5"    |
| LCLC-15 | 15"     | 4.5"    |
| LCLC-19 | 19"     | 5.25"   |
| LCLC-24 | 24"     | 8"      |
| LCLC-30 | 30"     | 8"      |
| LCLC-36 | 36"     | 8"      |



Shown with optional battery back,  
adds 1 3/4" to fixture height


## LED BASED ORDERING INFORMATION

Example: LCLC-15-LED-F1P-4-CV03-DIM

LCLC

| Size   | LED  |       |               |           |             | Kelvin  | Finish                                                                                              | Side Diffusers                                                                                                                                                                    | Options                                                                                                                                                                                                                                                                                                                                            |
|--------|------|-------|---------------|-----------|-------------|---------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |      | Watts | Source Lumens | Dimming   | Energy Star |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 12-LED | F1L  | 9     | 1400          | 0-10v     | YES         | 1 2700K | <i>(See Notes)<br/>Only Applies with<br/>BB10 option</i><br><br><b>Finish Options<br/>on page 4</b> | <b>Color Options on Page 5</b><br><br><b>(CV##) Opaque/Solid</b><br><i>(Part number example: DV-31)</i><br>CV = Opaque/Solid side diffuser<br>31 = Burnt Orange color from page 5 | <b>DIM</b> LED dimming driver (0 - 10v)<br><b>DIMLD</b> Line Voltage /TRIAC/ELV/120v<br>See Resource Page<br><br><b>ES</b> Energy Star listed components<br><b>T24</b> Title 24/JA8 Compliant<br>(F10, F1P & F1Q configuration only)<br><br><b>CF - Center Finial</b><br><br><b>OCCHFA</b> Concealed Occupancy Sensor<br>See Sensor Resource Sheet |
|        | F1O  | 10    | 863           | TRIAC/ELV | YES         | 2 3000K |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
|        | F1P  | 15    | 1361          | TRIAC/ELV | YES         | 3 3500K |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 15-LED | F1K  | 13    | 2115          | 0-10v     | YES         | 4 4000K | <b>Finish Options<br/>on page 4</b>                                                                 | <b>(CT##) Semi-Translucent</b><br><i>(Part number example: DT-40)</i><br>CT = Semi-Translucent side diffuser<br>40 = Harvest Gold color from page 5                               | <b>Battery Backup Options</b><br><i>(Requires 1 3/4" extension ring)</i><br>Note available in LCVC-12<br><b>BB10</b> 10 Watts (1170lm) for 90-Minutes                                                                                                                                                                                              |
|        | F1P  | 15    | 1361          | TRIAC/ELV | YES         | 5 5000K |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
|        | F1Q  | 23    | 2057          | TRIAC/ELV | YES         |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 19-LED | L1A  | 36    | 4000          | 0-10v     | NO          |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
|        | F1Q  | 23    | 2057          | TRIAC/ELV | YES         |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 24-LED | L1A  | 36    | 4000          | 0-10v     | NO          |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 30-LED | O4C  | 36    | 4840          | 0-10v     | NO          |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
| 36-LED | O8C  | 72    | 9680          | 0-10v     | NO          |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |
|        | O12C | 107   | 14520         | 0-10v     | NO          |         |                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                    |





|         | DIM 'A' | DIM 'B' |
|---------|---------|---------|
| LCLC-12 | 12.25"  | 4.5"    |
| LCLC-15 | 15"     | 4.5"    |
| LCLC-19 | 19"     | 5.25"   |
| LCLC-24 | 24"     | 8"      |
| LCLC-30 | 30"     | 8"      |
| LCLC-36 | 36"     | 8"      |



## INCANDESCENT BASED ORDERING INFORMATION

Example: LCLC-36-8E26-NL-CV03


LCLC

NL


| Size | Socket | Watts | Source Lumens | Dimming   | Energy Star | Kelvin                         | Finish                                                                       | Side Diffusers                                                                                                                                                                                                                                                                                                                  | Options            |
|------|--------|-------|---------------|-----------|-------------|--------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|      |        |       |               |           |             | NL<br>Lamps provided by others | (See Notes)<br>Only Applies with BB10 option<br><br>Finish Options on page 4 | <b>Color Options on Page 5</b><br><br><b>(CV##) Opaque/Solid</b><br>(Part numnber example: DV-31)<br>CV = Opaque/Solid side diffuser<br>31 = Burnt Orange color from page 5<br><br><b>(CT##) Semi-Translucent</b><br>(Part numnber example: DT-40)<br>CT = Semi-Tranlucent side diffuser<br>40 = Harvest Gold color from page 5 | CF - Center Finial |
| 12   | 2E26   |       |               | TRIAC/ELV |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
|      |        |       |               |           |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
| 15   | 2E26   |       |               | TRIAC/ELV |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
|      |        |       |               |           |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
| 19   | 3E26   |       |               | TRIAC/ELV |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
|      |        |       |               |           |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
| 24   | 4E26   |       |               | TRIAC/ELV |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
| 30   | 8E26   |       |               | TRIAC/ELV |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
| 36   |        |       |               |           |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |
|      |        |       |               |           |             |                                |                                                                              |                                                                                                                                                                                                                                                                                                                                 |                    |



## Standard Finishes



W1 Yolk



W2 Gloss White



W3 Textured White



W13 Pearl Beige



B1 Satin Black



B2 Textured Black



Z3 Textured Bronze




Z1 Satin Bronze



M13 Anodized Silver



T4 Shimmer Gray




T6 Pewter



T1 Silver Gray



T5 Textured Silver



M17 Brass Powder

## Premium Finishes - Contact Factory For Pricing



U12 Parkers Blue



U13 Cornflower Blue



A15 Medium Gray



G13 Sage Green



W18 Sand Fossil



R4 Deep Red



M20 Tuscan Sun



D12 Butterscotch

### DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355  
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201  
www.lightwayind.com • sales@lightwayind.com



# DIFFUSER COLORS

## Primary Colors



Black (01)



Blue (02)



Green (03)



Red (04)



Yellow (05)

## Earthtone Colors



Mint (27)



Sand (30)



Nutmeg (28)




Slate (29)



Azure (20)



Dusty Rose (25)




Taupe (23)



Cape Cod (31)



Peach (32)



Olive (22)

## Retro Colors



Harvest Gold (40)



Pumpkin (44)



Avocado (41)



Tobacco (42)



Parchment (43)

***Custom lens colors available, contact factory with Pantone or HEX code***

### DISCLAIMER:

Colors displayed on your screen may vary slightly from the actual product color due to differences in monitor calibration and lighting conditions. Sample chips are available upon request. **Not all finishes are available with all fixtures. Please consult factory for premium finishes.**



28435 Industry Drive., Valencia, California 91355  
800-325-4448 / 661-257-0286 • fax 800-323-2346 / 661-257-0201  
www.lightwayind.com • sales@lightwayind.com

